

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	15	shield and (ferroelectric\$5 or ferro adj2 electric\$5) and (((read\$6 or reproduc\$6) near6 (destroy\$6 or destructiv\$5)) same (current\$1 or polar\$7 or dipole\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:41
L3	10	(shield same (ferroelectric\$5 (ferro adj2 electric\$5)) same (transducer tip needle head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:42
L4	2233	365/145.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:24
L5	33	365/145.ccls. and shield	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:24
L6	1096	369/126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:25
L7	39	369/126.ccls. and shield	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:25
L8	17	369/126.ccls. and (shield with (transducer head probe tip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:25
L9	1	365/145.ccls. and (shield with (transducer head probe tip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:26
L10	0	((electrode tip transducer head) and ferroelectric and (elelctric near2 shield)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:04
L12	12	((ferroelectric (ferro near electric)) near5 (head transducer tip electrode)) and "360".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:11

## EAST Search History

L13	615	360/324.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:25
L14	2053	360/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:25
L15	1	13 and (electric near3 shield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:25
L16	1	14 and (electric near3 shield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:25
L17	139	((transducer head) with (electric near3 shield))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:27
L18	46	17 and (((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID platter (magnetic ferroelectric storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium device array storage) (storage near2 drive\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:30
L19	8	360/75.ccls. and (ferroelectric\$5 or ferro adj2 electric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:49

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	15	shield and (ferroelectric\$5 or ferro adj2 electric\$5) and (((read\$6 or reproduc\$6) near6 (destroy\$6 or destructiv\$5)) same (current\$1 or polar\$7 or dipole\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:41
L3	10	(shield same (ferroelectric\$5 (ferro adj2 electric\$5)) same (transducer tip needle head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:42
S80	0	((electric near2 shield) with (transducer head element pole tip)) same ferroelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:02
S81	0	((electric near2 shield) with (transducer head element pole tip)) and ferroelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:03
S82	0	((electric near2 shield) same (transducer head element pole tip)) and ferroelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:04
S83	0	((electric near2 shield) with (transducer head element pole tip)) same ferroelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:04
S84	2	((electric near2 shield) with (transducer head element pole tip)) and ferroelectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:05
S85	0	((electric near2 shield) same (transducer head element pole tip)) and (ferroelectric near4 (tranducer head element pole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:07
S86	2	(electric near2 shield) and (ferroelectric near4 (tranducer head element pole))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:08
S87	2	"US 20050128616"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/02/14 15:10

## EAST Search History

S88	0	(electric near2 shield) and (ferroelectric\$5 or ferro adj2 electric\$5) and (((read\$6 or reproduc\$6) near6 (destroy\$6 or destructiv\$5)) same (current\$1 or polar\$7 or dipole\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:43
S89	58	(electric near2 shield) and (ferroelectric\$5 or ferro adj2 electric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:44
S90	0	S89 and "360".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:45
S91	3	S89 and "365".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:45
S92	4	(electric near2 shield) and ((ferroelectric\$5 (ferro adj2 electric\$5)) with (transducer tip needle head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:46
S93	2	S89 and "324".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:47